




## Product Specifications - 86104ABZ

Job Name:	Job Type:
Quantity:	Comments:



**86104ABZ**  
Lightray LED 1-Light Flush Mount



**Finish**  
Architectural Bronze

**Glass/Shade**

**Product Category**  
Outdoor Flush Mount

### Lamping

Number of Bulbs	1
Light Type	LED
Bulb Type	PCB
Max Bulb Wattage	15
Max Fixture Wattage	15
Rated Life	
Rated Lumens	±1,050
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	80+
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	Standard/Lutron® CL or Leviton® LED Recommended

### Measurements

Width	5.00"
Height	6.25"
Length	N/A
Extension	5"
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	3.09 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

### Shipping

Carton Weight	3.86 lbs
Carton Width	7"
Carton Height	8"
Carton Length	7"
Carton Cubic Feet	0.27
Master Pack	8
Master Pack Weight	30.88 lbs
Master Pack Width	14.96"
Master Pack Height	18.11"
Master Pack Length	14.96"
Master Cubic Feet	2.35
UPS Shippable	Yes

### Certification

Safety Rating	Wet
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No
Dark Sky	Yes

### Other

UPC Code	783209109681
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	N/A

### Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.