

# LED Pendant Lighting



Suspended from the ceiling over kitchen center islands, retail counter tops, hospitality lounges or dining tables, pendant lighting can provide focused illumination or a warm ambient glow, depending on the fixtures and light source. Use of a dimmer provides flexibility to vary the light to suit the occasion.

### **FEATURES**

- · Pendants available in Monopoint Canopy, Multi-QuickJack Canopy, Track and Rail mounts in multiple light sources
- · Large selection of hand-blown art glass





# 14W LED PENDANT FOR DECORATIVE GLASS

Nora's 2nd generation LED pendant is now **14 watts and 1100 lumens and 90+CRI**. LED pendant is compatible with over 100 Nora glass shades. Uniquely designed to light the glass as well as providing usable down light, the LED module features an architectural die-cast aluminum heat sink. The dimmable driver is mounted in the canopy. Energy savings has never been so beautiful. Title 24 and Energy star listed.

#### **FEATURES**

- · Dimmable driver mounted in canopy
- · 1100 Lumens using 14 Watts
- · 3500K, 90+ CRI using Nichia® LEDs
- · Designer heat sink for excellent heat management
- · Frosted glass shield evenly distributes the light
- · 8.5' field adjustable cord
- · Brushed Nickel (BN) or Bronze (BZ)
- · Over 60 compatible Nora glass shades





14W 3500K LED Pendant Assembly with Canopy Mount

### NRS92-P42/35(finish)

LAMP: Single 10W LED module

FINISH: BN Brushed Nickel, BZ Bronze

MOUNT: Includes integral LED driver

DIMENSIONS: Heat Sink: 3-3/4" (95mm)

Counter Sink: 2-5/8" (67mm) Cord: 8' 6" (259cm), field adjust-



14W 3500K LED Pendant Assembly with Rail Mount

### NRS72-453/35(finish)

 LAMP:
 Single 10W LED module


 FINISH:
 BN Brushed Nickel, BZ Bronze)

 MOUNT:
 Includes integral LED driver

 DIMENSIONS:
 Heat Sink: 3-3/4" (95mm)

Counter Sink: 2-5/8" (67mm) Cord: 8' 6" (259cm), field

adiustable




14W 3500K LED Pendant Assembly with Track Mount

### NTE-164/35(finish)(adapter finish)

LAMP: Single 10W LED module
FINISH: BN Brushed Nickel, BZ Bronze
ADAPTER FINISH: B Black, S Silver, W White
MOUNT: Includes integral LED driver
DIMENSIONS: Heat Sink: 3-3/4" (95mm)

Counter Sink: 2-5/8" (67mm) Cord: 8' 6" (259cm), field

adjustable



## **DECORATIVE GLASS** FOR 10W LED PENDANT

## CANOPY LED PENDANT ASSEMBLY CAN BE SPECIFIED AND ORDERED AS A COMPLETE FIXTURE













# FOR 10W LED PENDANT DECORATIVE GLASS

## CANOPY LED PENDANT ASSEMBLY CAN BE SPECIFIED AND ORDERED AS A COMPLETE FIXTURE













## **DECORATIVE GLASS** FOR 10W LED PENDANT

## CANOPY LED PENDANT ASSEMBLY CAN BE SPECIFIED AND ORDERED AS A COMPLETE FIXTURE









