



landscape • entertainment • architectural • hospitality • illumination

SL-20-MD WELL LIGHTS



25301 COMMERCENTRE DRIVE • LAKE FOREST, CA 92630 • 949.830.1350 • 888.882.1350 • FAX 949.830.3390



WELL LIGHTS SL-20-MD 12 VOLT SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION:

BODY: Fiberglass reinforced bronze composite with molded brass inserts for screws

LENS HOLDER & GRATE: Fiberglass reinforced bronze composite, cast aluminum or cast brass

AIMING CAPABILITY: 30°

LENS: High impact clear tempered convex glass

LAMP SUPPLIED: MR16: 20w MR16 FL(BAB) 5000 hours average rating (50w max)

PAR36: 36w PAR36 (QWFL) 4000 hour average rating (50w max)

LAMP OPTIONS: MR16: We recommend 50,000 hour ARROW 4w LED (-LED) or 40,000 hour 5w (-LED5) or 7w (-LED7) ARROW Super Saver LED

SOCKET: MR16: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires
PAR36: None, PAR36 lamp supplies connection via 1/4" quick connect or stud terminal

REFLECTOR: Highly polished specular aluminum

WIRING: Black 4 foot 18/2 zip cord from base of fixture
For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

FINISH: Composite - Bronze

Aluminum Lens Holder/Grate - Black texture polyester powder coat. Optional finishes available
Brass Lens Holder/Grate - Unfinished brass. Optional finishes available

120v INTEGRAL TRANSFORMER MODELS AVAILABLE, ADD -T TO CATALOG NUMBER

FEATURES 120v INPUT, 12v OUTPUT/75w MAX, DIMMABLE (LINE SIDE)

NOT FOR USE WITH LED LAMPS



SL-20-MDLPAR36



SL-20-MDGP36



SL-20-MDLP3640

ORDERING INFORMATION


CATALOG NO.	DESCRIPTION	LAMP SUPPLIED	SHIP WEIGHT
SL-20-MDLMR16	Well Light, Composite Lens Holder	20w MR16 FL(BAB)	4.0 lbs.
SL-20-MDLMR16-BLT	Well Light, Aluminum Lens Holder	20w MR16 FL(BAB)	4.0 lbs.
SL-20-MDLMR16-BRS	Well Light, Brass Lens Holder	20w MR16 FL(BAB)	4.0 lbs.
SL-20-MDGMR16	Well Light, Composite Grate	20w MR16 FL(BAB)	4.0 lbs.
SL-20-MDGMR16-BLT	Well Light, Aluminum Grate	20w MR16 FL(BAB)	4.0 lbs.
SL-20-MDGMR16-BRS	Well Light, Brass Grate	20w MR16 FL(BAB)	5.0 lbs.
SL-20-MDLP3624	Well Light, Composite Lens Holder	10w PAR36 LED (24°)	4.0 lbs.
SL-20-MDLP3624BLT	Well Light, Aluminum Lens Holder	10w PAR36 LED (24°)	4.0 lbs.
SL-20-MDLP3624BRS	Well Light, Brass Lens Holder	10w PAR36 LED (24°)	4.0 lbs.
SL-20-MDLP3640	Well Light, Composite Lens Holder	10w PAR36 LED (40°)	4.0 lbs.
SL-20-MDLP3640BLT	Well Light, Aluminum Lens Holder	10w PAR36 LED (40°)	4.0 lbs.
SL-20-MDLP3640BRS	Well Light, Brass Lens Holder	10w PAR36 LED (40°)	4.0 lbs.
SL-20-MDLP3660	Well Light, Composite Lens Holder	10w PAR36 LED (60°)	4.0 lbs.
SL-20-MDLP3660BLT	Well Light, Aluminum Lens Holder	10w PAR36 LED (60°)	4.0 lbs.
SL-20-MDLP3660BRS	Well Light, Brass Lens Holder	10w PAR36 LED (60°)	4.0 lbs.
SL-20-MDGP3624	Well Light, Composite Grate	10w PAR36 LED (24°)	4.0 lbs.
SL-20-MDGP3624BLT	Well Light, Aluminum Grate	10w PAR36 LED (24°)	4.0 lbs.
SL-20-MDGP3624BRS	Well Light, Brass Grate	10w PAR36 LED (24°)	5.0 lbs.
SL-20-MDGP3640	Well Light, Composite Grate	10w PAR36 LED (40°)	4.0 lbs.
SL-20-MDGP3640BLT	Well Light, Aluminum Grate	10w PAR36 LED (40°)	4.0 lbs.
SL-20-MDGP3640BRS	Well Light, Brass Grate	10w PAR36 LED (40°)	5.0 lbs.
SL-20-MDGP3660	Well Light, Composite Grate	10w PAR36 LED (60°)	4.0 lbs.
SL-20-MDGP3660BLT	Well Light, Aluminum Grate	10w PAR36 LED (60°)	4.0 lbs.
SL-20-MDGP3660BRS	Well Light, Brass Grate	10w PAR36 LED (60°)	5.0 lbs.




JOB INFORMATION	
Type:	Date:
Job Name:	
Cat. No.:	
Lamp(s):	
Specifier:	
Contractor:	
Notes:	
FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA 92630 www.focusindustries.com sales@focusindustries.com (949) 830-1350 • FAX (949) 830-3390	



SL-20-MDL



SL-20-MDG



SL-20-MDL
with FA-135MD



BOTTOM

2 Female 3/4" NPS &
3 Female 1/2" NPS
threaded ports available

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT










WELL LIGHTS SL-20-MD 12 VOLT SERIES



TYPE

LIGHT DISTRIBUTIONS AND PHOTOMETRICS



ACCESSORIES

CATALOG NO.	DESCRIPTION
FA-133-BLT / -BRS	Cast Aluminum or Brass Lens Holder
FA-134-BLT / -BRS	Cast Aluminum or Brass Grate
FA-135-BLT / -BRS	Stamped Aluminum or Brass Eyebrow
FA-08-SL20	Round 1/4" Mini Cell Louver
FA-10-SG-SL20	Flat Stepped Tempered Glass Lens
FA-10-SL20AMBER	Flat Amber Tempered Glass Lens
FA-10-SL20BLUE	Flat Blue Tempered Glass Lens
FA-10-SL20GREEN	Flat Green Tempered Glass Lens
FA-10-SL20RED	Flat Red Tempered Glass Lens
FA-FORM-SL20	Concrete form for SL-20-MD Series

JOB INFORMATION

Type:	Date:
Job Name:	
Cat. No.:	
Lamp(s):	
Specifier:	
Contractor:	
Notes:	
FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA 92630 www.focusindustries.com sales@focusindustries.com (949) 830-1350 • FAX (949) 830-3390	

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT